



EXIDE
INDUSTRIAL

Gel technology to store solar energy



* Conditions Apply

Exide launches SOLATRON SGL series with unique GEL Technology specially developed for renewable energy applications. Exide has integrated this technology in accordance with state-of-the-art manufacturing and quality procedure to satisfy environmental, economic & technical demands.

A key to a successful Solar Photovoltaic System is the careful integration of all components and proper selection of battery. The Batteries are exposed to variable temperature, insufficient charging, daily cycling as well as operating in Partial State of Charge condition. Such applications need legendary toughness with reliability of tubular and maintenance free convenience of VRLA and nothing can be better than Exide SOLATRON GEL series.

Applications:

- Solar Lantern • Solar home & street lighting • Solar photovoltaic system • Solar power plant • Hybrid system power back-up

Benefits:



- Sealed maintenance free – no topping up ever • Excellent deep discharge capability • High recharge efficiency • Superior cycle life
- Less sensitive to temperature • Long shelf life • Greater design life – best value for money • Supplied factory charged

Technical Specification

Battery Type	Nominal Voltage (V)	Rated Capacity (Ah) at 27°C		Weight (Kg.) ± 5%	Internal Resistance (m-ohm)	(Dimensions in mm)			Max. Discharge Current
		C10 1.75V/cell	C20 1.75V/cell			Length ± 5	Width ± 5	Height ± 5	
6SGL 40	12	40	45	19	10.0	350	166	174	240
6SGL 75	12	75	82	33.5	7.0	407	173	235	450
6SGL 100	12	100	105	44	6.0	557	172	240	600
6SGL 150	12	150	165	64	5.0	533	250	240	900

NOTE:

- Batteries are dispatched from factory at minimum 90% state of charge
- Full capacity is achieved after a minimum ten numbers of charge-discharge cycles at full depth or 3 months of continuous float operation



Please address your queries & comments to :

Head Office

Kolkata 'Exide House', 59E Chowringhee Road, Kolkata - 700 020, Phone (033) 2283 2120/33/36/50/51/71/ 2238/39, Fax (033) 2283 2632/37

Corporate Marketing Office

Kolkata 6A Hatibagan Road, Entally, Kolkata - 700 014, Phone (033) 2286 6158/6159, Fax (033) 2286 6186, E-mail: indlcare@exide.co.in

Regional Offices

New Delhi 'Exide House', 3E/1 Link Road, Jhandewalan Extension, New Delhi - 110 055, Phone (011) 2362 7095/96/98, Fax (011) 2333 5703

Chennai Industrial Marketing Division, Economist House, 2nd Floor, Western Wing, S-15, Thiru Vi-Ka Industrial Estate, Guindy, Chennai - 600 032, Phone (044) 2250 0726, 1326, 1216, Fax (044) 2250 1216

Mumbai 'RAHEJAS', 5th Floor, 8C Main Avenue, V P Road, Santacruz (West), Mumbai - 400 054, Phone (022) 2646 5283/84, Fax (022) 2646 5042

Kolkata 6A Hatibagan Road, Entally, Kolkata - 700 014, Phone (033) 2284 3137/3168/3169, Fax (033) 2289 7455

Branch Offices

Cuttack Ph.: (0671) 2686151

Guwahati Ph.: (0361) 234 2500/2341119 Fax (0361) 234 5097 (PP)

Jamshedpur Ph.: (0657) 229 3022/0785 Fax (0657) 229 0894 (PP)

Patna Ph.: (0612) 257 0415, 645 8102/03 Fax (0612) 252 9902 (PP)

Siliguri Ph.: (0353) 253 8321, Fax (0353) 252 3731

Chandigarh Ph.: (0172) 500 0014, Fax (0172) 265 4395

Dehradun Ph.: (0135) 324 7766

Ghaziabad Ph.: (0120) 411 7952, 416 4419

Jaipur Ph.: (0141) 519 1206, (M) 94140 14334, Fax (0141) 229 2877

Jalandhar Ph.: (0181) 654 0810, 653 4983, Fax (0181) 245 9571

Lucknow Ph.: (0522) 404 1896/1899 Fax (0522) 221 8089

Varanasi Ph.: (0542) 220 2129, Fax (0542) 250 1296

Bengaluru Ph.: (080) 4128 3793, Fax (080) 2574 4226

Coimbatore Ph.: (0422) 2221846/222 1408, Fax (0422) 222 0858

Hyderabad Ph.: (040) 6516 3958

Kochi Ph.: (0484) 414 9351, 414 9352, Fax (0484) 414 9311

Ahmedabad Ph.: (079) 6510 8207, Fax (079) 2676 9932

Indore Ph.: (0731) 654 2293

Mumbai Ph.: (022) 2207 2188/89, Fax (022) 2207 8631

Nagpur Ph.: (0712) 253 9972/9973

Fax (0712) 253 8348

Pune Ph.: (020) 3230 4041-45, Fax (020) 2443 0094

Vadodara Telefax: (0265) 235 4240

EXIDE Industries Ltd., Industrial Marketing: 6A Hatibagan Road, Entally, Kolkata - 700 014, Phone: 2286 6158/6159

E-mail: indlcare@exide.co.in, Visit us at www.exide4u.com

Toll Free No. 1800-103-5454

This catalogue is issued to provide outline information only and is not deemed to form part of an offer or contract. Our policy is one of continued improvement and we reserve the right to change details without prior notice.

EXIDE

LOW MAINTENANCE TUBULAR BATTERY FOR **SOLAR PV** APPLICATION



INDUSTRIAL

For over 60 years, Exide Industries Ltd., has pioneered battery technology in India. It is the only company in South and South East Asia which designs and manufactures lead acid batteries from 7Ah to 20400Ah. Exide offers the latest series of tubular batteries, manufactured in its state-of-the-art ISO 9001 : 2008, ISO 14001: 2004 certified factories to meet the growing demand both in domestic and export market. Exide 12V and 6V low maintenance Tubular battery for Solar photovoltaic application comes with high quality TORR Tubular plate and its performance characteristics conform to IS 13369 : 1992 with latest amendments.

PRODUCT FEATURES

- Available in SOLA-TUBULAR range
- PPCP Container
- Tubular Positive Plates
- Pasted Negative Plates
- High tensile, acid resistant Polyester Gauntlets
- High porosity Envelope Separators
- Microporous Ceramic Vent Plug
- Heavy duty Terminal
- Low resistance Fasteners.

TORR TUBULAR TECHNOLOGY

Exide Tubular Batteries have the spines or the positive plate support cast at high pressure (100 Bar) in imported HADI machine which ensures void free structure and consistent grain orientation and can protect the plate support from anodic corrosion. This in turn ensures higher reliability and longer life. Exide Torr Tubular

plates are also cast with low antimony content which reduces the topping up frequency, making the battery low maintenance type. This also keeps the float charging current at a lower value, thus minimises the total energy requirement needed to keep the battery in charged condition during standby float application.

APPLICATION : ● SOLAR HOME LIGHTING ● SOLAR STREET LIGHTING ● SOLAR PHOTOVOLTAIC POWER PLANTS ● TRAFFIC SIGNALLING

Benefits

- Specially designed for arduous SPV application.
- Manufacturing with TORR Tubular Technology which stands for reliable and consistent performance.
- Designed to operate in partial state of charge condition.
- Ideally designed for cyclic application.
- Superior voltage and energy output profile.
- Excellent charging efficiency :
 - ❖ AH efficiency - In excess of 90%
 - ❖ WH efficiency - In excess of 80%

- Service life comparable with the best of the international brands.
- Designed cycle life at C10 discharge at 25°C :
 - ❖ 1500 cycles to 80% DOD
 - ❖ 3000 cycles to 50% DOD
 - ❖ 5000 cycles to 20% DOD
- Supplied in factory charged condition - ensures optimal quality and ready to us.
- Ultra low maintenance
- Low rate of self discharge
- 6V mono-blocks are supplied with MS Cabinet (fitted suitable exhaust system) or MS Stand (knock down condition) in 48V configuration - ideally designed for outdoor application.

Charging Characteristics of Solar Batteries:

Model of Operation	Voltage Setting per mono-block unit for ambient temperature 25-30°C		Current Settings
	12V mono-block	6V mono-block	
Float Voltage	13.7V ± 0.1V	6.85V ± 0.1V	Maximum - 20% of battery Ah capacity
Bulk Voltage	14.5V ± 0.1V	7.25V ± 0.1V	Minimum - 10% of battery Ah capacity
Low Voltage Disconnect	11.1V ± 0.1V	5.55V ± 0.1V	

Temperature Compensation : (reference 25°C)

Float : -18mV/°C/12Vunit

Cyclic : -30mV/°C/12Vunit

Technical Data

Type of Battery	Nominal Voltage	Capacity @C10 to 1.80 v.p.c at 27°C	Cell Weight		Overall Dimension			Container Type
			Without Acid ± 5%	With Acid ± 5%	Length ± 5	Width ± 5	Height* ± 5	
	(V)	(Ah)	(Kg)	(Kg)	(mm)	(mm)	(mm)	
6LMS20L	12	20	12.0	18.0	260	172	240	PPCP
6LMS40	12	40	12.0	23.5	410	176	282	PPCP
6LMS40L	12	40	14.0	26.5	410	176	282	PPCP
6LMS75	12	75	20.0	32.0	410	176	282	PPCP
6LMS75L	12	75	22.5	42.5	530	220	287	PPCP
6LMS100L	12	100	30.0	57.0	500	187	416	PPCP
6LMS120L	12	120	31.4	48.5	530	220	287	PPCP
6LMS150L	12	150	44.0	66.3	500	187	416	PPCP
6LMS200L	12	200	54.0	78.0	500	187	416	PPCP
3LMS300	6	300	44.0	66.3	500	187	416	PPCP

*Height upto Terminal Top



E-mail : indicare@exide.co.in, Visit us at www.exide4u.com
Toll Free No. 1800-103-5454

Head Office : 59E, Chowringhee Road, Kolkata - 700 020, Ph. : (033) 2283 2120 / 33 / 36 / 50 / 51 / 71 / 2238 / 39, Fax : (033) 2283 2632 / 37, **Corporate Marketing Office :** 6A Hatibagan Road, Entally, Kolkata - 700 014, Ph. : (033) 2286 6158 / 6159, Fax : (033) 2286 6186, e-mail : indicare@exide.co.in, **Regional Offices :** **New Delhi :** 'Exide House', 3E/1 Link Road, Jhandewalan Extension, New Delhi - 110 055, Ph. : (011) 2362 7095 / 96 / 98, Fax : (011) 2333 5703, **Chennai :** Industrial Marketing Division, Economist House, 2nd floor Western wing, S-15, Thiru vi-ka Industrial Estate, Guindy Chennai - 600 032, Ph. : (044) 2250 0726, 1326, 1216, Fax : (044) 2250 1216, **Mumbai :** 'RAHEJAS', 5th Floor, 8C Main Avenue, V P Road, Santacruz (West), Mumbai - 400 054, Ph. : (022) 2646 5283 / 84, Fax : (022) 2646 5042, **Kolkata :** 6A Hatibagan Road, Entally, Kolkata - 700 014, Ph. : (033) 2284 3137 / 3168 / 3169, Fax : (033) 2289 7455, **Branch Offices :** **Cuttack :** Ph. : (0671) 268 6151, **Guwahati :** Ph. : (0361) 234 2500 / 1119, Fax : (0361) 234 5097 (PP), **Jamshedpur :** Ph. : (0657) 229 3022 / 0785, Fax : (0657) 229 0894 (PP), **Patna :** Ph. : (0612) 257 0415, 645 8102 / 8103, Fax : (0612) 252 9902 (PP), **Siliguri :** Ph. : (0353) 254 0321, **Chandigarh :** Ph. : (0172) 500 0014, Fax : (0172) 265 4395, **Dehradun :** Ph. : (0135) 324 7766, **Ghaziabad :** Ph. : (0120) 411 7952, 416 4419, **Jaipur :** Ph. : (0141) 229 3799 / 04, Fax : (0141) 229 2877, **Jalandhar :** Ph. : (0181) 223 7870, 653 4983, Fax : (0181) 245 9571, **Lucknow :** Ph. : (0522) 404 1896 / 1899, Fax : (0522) 221 8089, **Varanasi :** Ph. : (0542) 250 1680, Fax : (0542) 250 1296, **Bangalore :** Ph. : (080) 4128 3793 / 3493 / 3477, Fax : (080) 2357 8672, **Coimbatore :** Ph. : (0422) 222 1846, Fax : (0422) 222 0858, **Hyderabad :** Ph. : (040) 6516 3958, Fax : (040) 4019 6054, **Kochi :** Ph. : (0484) 414 9351, Fax : (0484) 253 0797, **Ahmedabad :** Ph. : (079) 685 9661 / 6697 / 6698, Fax : (079) 685 6698, **Indore :** Ph. : (0731) 255 6290 / 91, Fax : (0731) 249 3395, **Mumbai :** Ph. : (022) 2646 5283 / 84, Fax : (022) 2646 5042, **Nagpur :** Ph. : (0712) 5615 8823 / 83, 259 4722, Fax : (0712) 259 4722, **Pune :** Ph. : (020) 401 1083 / 84 / 85 / 86, Fax : (020) 612 6426, **Vadodara :** Telefax : (0265) 235 4240

This Catalogue is issued to provide outline information only and is not deemed to form part of an offer or contract.
Our policy is one of continued improvement and we reserve the right to change details without prior notice